

**NORTH FORT BEND WATER AUTHORITY
 UTILITY SERVICES CONSUMED [HB 3693]
 JANUARY 1 - DECEMBER 31, 2013**

RELIANT ENERGY

<u>Invoice Number</u>	<u>Description</u>	<u>Invoice Date</u>	<u>Check Date</u>	<u>Check #</u>	<u>Usage</u>	<u>Amount</u>
<u>D-158 PUMP STATION</u>						
157002780410	13402 BELLAIRE THROUGH 02/10/13	02/14/13	02/27/13	2938	121,134	9,048.24
167002592575	13402 BELLAIRE THROUGH 03/10/13	03/14/13	03/27/13	2963	110,812	8,903.00
120003513460	13402 BELLAIRE THROUGH 04/09/13	04/15/13	04/24/13	2994	144,494	10,984.67
179002372031	13402 BELLAIRE THROUGH 05/12/13	05/12/13	05/22/13	3043	169,797	12,039.78
205000157097	13402 BELLAIRE THROUGH 06/10/13	06/14/13	06/26/13	3063	172,650	12,699.90
209000093728	13402 BELLAIRE THROUGH 06/18/13	06/28/13	07/03/13	3038	48,836	3,552.48
1110107836898	13402 BELLAIRE THROUGH 07/11/13	07/26/13	07/29/13	3114	160,458	11,506.21
1110109394771	13402 BELLAIRE THROUGH 08/11/13	08/26/13	08/29/13	3115	211,944	15,086.50
1110111101776	13402 BELLAIRE THROUGH 09/10/13	09/25/13	09/30/13	3151	234,553	15,922.42
1110112510835	13402 BELLAIRE THROUGH 10/10/13	10/24/13	10/29/13	3232	273,863	17,977.48
1110114222074	13402 BELLAIRE THROUGH 11/10/13	11/22/13	12/02/13	3313	237,957	16,061.08
1120061646977	13402 BELLAIRE THROUGH 12/09/13	12/27/13	01/02/14	3451	209,679	14,530.62
1110117444097	13402 BELLAIRE THROUGH 01/09/14	01/28/14	01/30/14	3518	203,967	14,183.58
<u>BELLAIRE PUMP STATION (UNDER CONSTRUCTION - PAID BY BOND PROCEEDS)</u>						
1310032477053	13380 BELLAIRE THROUGH 07/09/13	07/16/13	07/25/13	3085	0	348.98
1380031874865	13380 BELLAIRE THROUGH 08/07/13	08/13/13	08/28/13	3133	5,184	652.90
0080046007169	13380 BELLAIRE THROUGH 10/10/13	10/22/13	10/29/13	3156	11,598	4,952.62
2090001352730	13380 BELLAIRE THROUGH 11/10/13	11/14/13	11/21/13	2194	4,985	1,345.72
1220035956393	13380 BELLAIRE THROUGH 12/09/13	12/13/13	12/20/13	2198	3,872	1,261.47
1200037121758	13380 BELLAIRE THROUGH 01/09/14	01/14/14	01/22/14	2231	12,250	1,846.76
<u>SEGMENT 8A RECTIFIER</u>						
008004464752	23303 BELLAIRE THROUGH 06/22/13	07/01/13	07/03/13	3038	0	115.79
1110107836856	23303 BELLAIRE THROUGH 07/10/13	07/26/13	07/29/13	3114	0	7.11
1110109394722	23303 BELLAIRE THROUGH 08/08/13	08/26/13	08/29/13	3115	93	19.12
1110111101727	23303 BELLAIRE THROUGH 09/09/13	09/25/13	09/30/13	3151	125	21.45
1110112510785	23303 BELLAIRE THROUGH 10/08/13	10/24/13	10/29/13	3232	111	20.40
1110114222025	23303 BELLAIRE THROUGH 11/06/13	11/22/13	12/02/13	3313	109	20.23
1120061646928	23303 BELLAIRE THROUGH 12/09/13	12/27/13	01/02/14	3451	121	21.20
1110117444022	23303 BELLAIRE THROUGH 01/10/14	01/28/14	01/30/14	3818	111	20.56

**NORTH FORT BEND WATER AUTHORITY
 UTILITY SERVICES CONSUMED [HB 3693]
 JANUARY 1 - DECEMBER 31, 2013**

RELIANT ENERGY

<u>Invoice Number</u>	<u>Description</u>	<u>Invoice Date</u>	<u>Check Date</u>	<u>Check #</u>	<u>Usage</u>	<u>Amount</u>
<u>SEGMENT 0 METER / CONTROL VALVE STATION RECTIFIER</u>						
123003339803	6650 SYNOTT THROUGH 02/07/13	02/12/13	02/27/13	2938	150	23.74
144003019187	6650 SYNOTT THROUGH 03/08/13	03/13/13	03/27/13	2963	142	23.11
198000582463	6650 SYNOTT THROUGH 04/09/13	04/15/13	04/24/13	2994	150	23.76
205000149921	6650 SYNOTT THROUGH 05/08/13	05/14/13	05/22/13	3043	128	22.04
008004458783	6650 SYNOTT THROUGH 06/04/13	06/25/13	07/03/13	3038	116	19.94
0080044992206	6650 SYNOTT THROUGH 07/09/13	07/29/13	07/29/13	3114	135	25.02
1110109394706	6650 SYNOTT THROUGH 08/07/13	08/26/13	08/29/13	3115	123	21.91
1110111101701	6650 SYNOTT THROUGH 09/06/13	09/25/13	09/30/13	3151	131	22.37
1110112510769	6650 SYNOTT THROUGH 10/07/13	10/24/13	10/29/13	3232	144	23.38
1110114222009	6650 SYNOTT THROUGH 11/05/13	11/22/13	12/02/13	3313	143	23.29
1120061646902	6650 SYNOTT THROUGH 12/06/13	12/27/13	01/02/14	3451	159	24.62
1110117444006	6650 SYNOTT THROUGH 01/09/14	01/28/14	01/30/14	3518	173	25.87
<u>SEGMENT 1A RECTIFIER</u>						
174002445613	13645 1/2 BISSONNET THROUGH 02/07/13	02/12/13	02/27/13	2938	29	14.04
124003335869	13645 1/2 BISSONNET THROUGH 03/08/13	03/13/13	03/27/13	2963	29	14.05
173002479973	13645 1/2 BISSONNET THROUGH 04/09/13	04/15/13	04/24/13	2994	32	14.27
111010469436	13645 1/2 BISSONNET THROUGH 05/08/13	05/14/13	05/22/13	3043	29	14.05
144003076178	13645 1/2 BISSONNET THROUGH 06/07/13	06/12/13	06/26/13	3063	30	14.14
119003594105	13645 1/2 BISSONNET THROUGH 06/15/13	06/19/13	07/03/13	3038	9	0.47
1110107836849	13645 1/2 BISSONNET THROUGH 07/09/13	07/26/13	07/29/13	3114	24	11.35
1110109394714	13645 1/2 BISSONNET THROUGH 08/07/13	08/26/13	08/29/13	3115	30	14.20
1110111101719	13645 1/2 BISSONNET THROUGH 09/06/13	09/25/13	09/30/13	3151	31	14.23
1110112510777	13645 1/2 BISSONNET THROUGH 10/07/13	10/24/13	10/29/13	3232	31	14.23
1110114222017	13645 1/2 BISSONNET THROUGH 11/05/13	11/22/13	12/02/13	3313	30	14.15
1120061646910	13645 1/2 BISSONNET THROUGH 12/06/13	12/27/13	01/02/14	3451	31	14.24
1110117444014	13645 1/2 BISSONNET THROUGH 01/09/14	01/28/14	01/30/14	3518	33	14.41
<u>SEGMENT 1B RECTIFIER</u>						
176002406684	9625 1/2 HWY 6 S. THROUGH 02/08/13	02/13/13	02/27/13	2938	21	13.43
147002972986	9625 1/2 HWY 6 S. THROUGH 03/11/13	03/15/13	03/27/13	2963	22	13.51
187001348777	9625 1/2 HWY 6 S. THROUGH 04/10/13	04/16/13	04/24/13	2994	20	13.35
174002481079	9625 1/2 HWY 6 S. THROUGH 05/09/13	05/14/13	05/22/13	3043	20	13.35
121003537013	9625 1/2 HWY 6 S. THROUGH 06/14/13	06/18/13	07/03/13	3038	3	1.26
1110107836880	9625 1/2 HWY 6 S. THROUGH 07/10/13	06/26/13	07/29/13	3114	17	11.61
1110109394763	9625 1/2 HWY 6 S. THROUGH 08/08/13	08/26/13	08/29/13	3115	20	13.39
1110111101768	9625 1/2 HWY 6 S. THROUGH 09/09/13	09/25/13	09/30/13	3151	21	13.44
1110112510827	9625 1/2 HWY 6 S. THROUGH 10/08/13	10/24/13	10/29/13	3232	20	13.37
1110114222066	9625 1/2 HWY 6 S. THROUGH 11/06/13	11/22/13	12/02/13	3313	19	13.30
1120061646969	9625 1/2 HWY 6 S. THROUGH 12/09/13	12/27/13	01/02/14	3451	21	13.46
1110117444089	9625 1/2 HWY 6 S. THROUGH 1/10/14	01/28/14	01/30/14	3518	21	13.48

**NORTH FORT BEND WATER AUTHORITY
UTILITY SERVICES CONSUMED [HB 3693]
JANUARY 1 - DECEMBER 31, 2013**

RELIANT ENERGY

<u>Invoice Number</u>	<u>Description</u>	<u>Invoice Date</u>	<u>Check Date</u>	<u>Check #</u>	<u>Usage</u>	<u>Amount</u>
<u>SEGMENT 2 RECTIFIER A</u>						
1480029202333	9222 ADDICKS CLODINE THROUGH 02/07/13	02/12/13	02/27/13	2937	134	26.60
1220033964068	9222 ADDICKS CLODINE THROUGH 03/08/13	03/13/13	03/27/13	2963	132	26.60
1200035134597	9222 ADDICKS CLODINE THROUGH 04/09/13	04/15/13	04/24/13	2993	143	28.49
1130052647090	9222 ADDICKS CLODINE THROUGH 05/08/13	05/28/13	06/03/13	3037	128	27.20
1120057828936	9222 ADDICKS CLODINE THROUGH 06/07/13	06/26/13	07/09/13	3072	75	21.21
1110107836864	9222 ADDICKS CLODINE THROUGH 07/09/13	07/26/13	07/29/13	3114	16	13.10
1110109394748	9222 ADDICKS CLODINE THROUGH 08/07/13	08/26/13	08/29/13	3115	14	12.91
1110111101743	9222 ADDICKS CLODINE THROUGH 09/06/13	09/25/13	09/30/13	3151	15	12.98
1110112510801	9222 ADDICKS CLODINE THROUGH 10/07/13	10/24/13	10/29/13	3232	16	13.08
1110114222041	9222 ADDICKS CLODINE THROUGH 11/05/13	11/22/13	12/02/13	3313	14	12.90
1120061646944	9222 ADDICKS CLODINE THROUGH 12/06/13	12/27/13	01/02/14	3451	16	13.09
1110117444063	9222 ADDICKS CLODINE THROUGH 01/09/14	01/28/14	01/30/14	3518	17	13.18
<u>SEGMENT 2 RECTIFIER B</u>						
123003351135	9624 FM 1464 THROUGH 02/13/13	02/27/13	03/06/13	2947	30	4.26
166002632817	9624 FM 1464 THROUGH 03/14/13	03/19/13	04/04/13	2977	174	25.12
111010407103	9624 FM 1464 THROUGH 04/15/13	04/26/13	05/06/13	2948	195	26.74
113005264712	9624 FM 1464 THROUGH 05/14/13	05/28/13	06/03/13	3000	178	25.47
008004464395	9624 FM 1464 THROUGH 06/15/13	07/01/13	07/03/13	3038	13	27.91
1110107836906	9624 FM 1464 THROUGH 07/15/13	07/26/13	07/29/13	3114	189	26.66
REFUND	9624 FM 1464	08/23/13				(10.10)
1110109394789	9624 FM 1464 THROUGH 08/13/13	08/26/13	08/29/13	3115	184	26.23
1110111101784	9624 FM 1464 THROUGH 09/12/13	09/25/13	09/30/13	3151	191	26.54
1110112510843	9624 FM 1464 THROUGH 10/11/13	10/24/13	10/29/13	3232	185	26.09
1110114222082	9624 FM 1464 THROUGH 11/11/13	11/22/13	12/02/13	3313	194	26.79
1120061646985	9624 FM 1464 THROUGH 12/12/13	12/27/13	01/02/14	3451	195	26.96
1110117444105	9624 FM 1464 THROUGH 01/15/14	01/28/14	01/30/14	3518	213	28.55
<u>SEGMENT 3 RECTIFIER</u>						
123003351134	9821 HARLEM THROUGH 02/13/13	02/24/13	03/06/13	2947	0	1.97
166002632816	9821 HARLEM THROUGH 03/14/13	03/19/13	04/04/13	2977	0	11.84
111010407102	9821 HARLEM THROUGH 04/15/13	04/26/13	05/06/13	2948	0	11.84
113005264711	9821 HARLEM THROUGH 05/28/13	05/28/13	06/03/13	3000	0	11.84
008004464835	9821 HARLEM THROUGH 06/15/13	07/01/13	07/03/13	3038	0	12.63
1110107836914	9821 HARLEM THROUGH 07/15/13	07/26/13	07/29/13	3114	0	11.84
1110109394797	9821 HARLEM THROUGH 08/13/13	08/26/13	08/29/13	3115	0	11.84
REFUND	9821 HARLEM THROUGH 08/13/13	08/23/13				(2.36)
1110111101792	9821 HARLEM THROUGH 09/12/13	09/25/13	09/30/13	3151	0	11.84
1110112510850	9821 HARLEM THROUGH 10/11/13	10/24/13	10/29/13	3232	0	11.84
1110114222090	9821 HARLEM THROUGH 11/11/13	11/22/13	12/02/13	3313	0	11.84
1120061646993	9821 HARLEM THROUGH 12/12/13	12/27/13	01/02/14	3451	0	11.84
1110117444113	9821 HARLEM THROUGH 01/15/14	01/28/14	01/30/14	3518	0	11.84

**NORTH FORT BEND WATER AUTHORITY
UTILITY SERVICES CONSUMED [HB 3693]
JANUARY 1 - DECEMBER 31, 2013**

RELIANT ENERGY

<u>Invoice Number</u>	<u>Description</u>	<u>Invoice Date</u>	<u>Check Date</u>	<u>Check #</u>	<u>Usage</u>	<u>Amount</u>
<u>SEGMENT 5 RECTIFIER A</u>						
123003351136	9831 HARLEM THROUGH 02/13/13	02/27/13	03/06/13	2947	3	2.19
166002632818	9831 HARLEM THROUGH 03/14/13	03/26/13	04/04/13	2977	21	13.43
111010407104	9831 HARLEM THROUGH 04/15/13	04/26/13	05/06/13	2948	22	13.51
113005264713	9831 HARLEM THROUGH 05/14/13	05/28/13	06/03/13	3000	20	13.35
008004464791	9831 HARLEM THROUGH 06/15/13	07/01/13	07/03/13	3038	2	14.36
1110107836922	9831 HARLEM THROUGH 07/15/13	07/26/13	07/29/13	3114	21	13.47
1110109394805	9831 HARLEM THROUGH 08/13/13	08/26/13	08/29/13	3115	21	13.47
REFUND	9831 HARLEM	08/23/13				(3.08)
1110111101800	9821 HARLEM THROUGH 09/12/13	09/25/13	09/30/13	3151	22	13.53
1110112510868	9831 HARLEM THROUGH 10/11/13	10/24/13	10/29/13	3232	20	13.37
1110114222108	9831 HARLEM THROUGH 11/11/13	11/22/13	12/02/13	3313	22	13.53
1120061647009	9831 HARLEM THROUUGH 12/12/13	12/27/13	01/02/14	3451	22	13.55
1110117444121	9831 HARLEM THROUUGH 01/15/14	01/28/14	01/30/14	3518	24	13.71
<u>SEGMENT 5 RECTIFIER B</u>						
123003351133	9019 HARLEM THROUGH 02/13/13	02/27/13	03/06/13	2947	9	2.71
166002632815	9019 HARLEM THROUGH 03/14/13	03/19/13	04/04/13	2977	51	16.05
111010407101	9019 HARLEM THROUGH 04/15/13	04/15/13	05/06/13	2948	56	16.43
113005264710	9019 HARLEM THROUGH 05/14/13	05/28/13	06/03/13	3000	51	16.06
008004460643	9019 HARLEM THROUGH 06/10/13	06/27/13	07/03/13	3038	48	14.62
1550029203273	9019 HARLEM THROUGH 06/13/13	06/25/13	07/09/13	3072	5	1.59
1780024288173	9019 HARLEM THROUGH 06/13/13	06/27/13	07/09/13	3072	5	1.59
1110107836872	9019 HARLEM THROUGH 07/15/13	07/26/13	07/29/13	3114	57	15.04
1110109394755	9019 HARLEM THROUGH 08/13/13	08/26/13	08/29/13	3115	52	16.22
REFUND	9019 HARLEM	09/09/13				(4.52)
1110111101750	9019 HARLEM THROUGH 09/12/13	09/25/13	09/30/13	3151	54	16.30
1110112510819	9019 HARLEM THROUGH 10/11/13	10/24/13	10/29/13	3232	52	16.17
1110114222058	9019 HARLEM THROUGH 11/11/13	11/22/13	12/02/13	3313	54	16.32
1120061646951	9019 HARLEM THROUGH 12/12/13	12/27/13	01/02/14	3451	54	16.33
1110117444071	9019 HARLEM THROUGH 01/15/14	01/28/14	01/30/14	3518	59	16.78
<u>SEGMENT 12B RECTIFIER</u>						
130003205129	10230 S FRY THROUGH 02/05/13	02/11/13	02/27/13	2938	84	18.26
171002532314	10230 S FRY THROUGH 03/06/13	03/12/13	03/27/13	2963	84	18.26
136003150162	10230 S FRY THROUGH 04/05/13	04/10/13	04/24/13	2994	85	18.33
173002489948	10230 S FRY THROUGH 05/06/13	05/06/13	05/22/13	3025	88	18.57
180002377713	10230 S FRY THROUGH 06/05/13	06/11/13	06/26/13	3063	83	18.20
185002045074	10230 S FRY THROUGH 06/15/13	06/19/13	07/03/13	3038	28	1.46
1110107836930	10230 S FRY THROUGH 07/05/13	07/26/13	07/29/13	3114	54	12.10
1110109394813	10230 S FRY THROUGH 08/05/13	08/26/13	08/29/13	3115	86	18.57
1110111101818	10230 S FRY THROUGH 09/04/13	09/25/13	09/30/13	3151	81	18.08
1110112510876	10230 S FRY THROUGH 10/03/13	10/24/13	10/29/13	3232	74	17.52
1110114222116	10230 S FRY THROUGH 11/01/13	11/22/13	12/02/13	3313	73	17.47
1120061647017	10230 S FRY THROUGH 12/04/13	12/27/13	01/02/14	3451	82	18.16
1110117444139	10230 S FRY THROUGH 01/28/14	01/26/14	01/30/14	3518	82	18.26

**NORTH FORT BEND WATER AUTHORITY
UTILITY SERVICES CONSUMED [HB 3693]
JANUARY 1 - DECEMBER 31, 2013**

RELIANT ENERGY

<u>Invoice Number</u>	<u>Description</u>	<u>Invoice Date</u>	<u>Check Date</u>	<u>Check #</u>	<u>Usage</u>	<u>Amount</u>
<u>SEGMENT 8B RECTIFIER</u>						
148002910522	25149 FULSHEAR GASTON RD THRU 1/22/13	01/25/13	02/12/13	2918	0	107.90
142003029995	25149 FULSHEAR GASTON RD THRU 2/20/13	02/25/13	03/06/13	2947	0	11.84
135003135841	25149 FULSHEAR GASTON RD THRU 3/21/13	03/26/13	04/04/13	2977	0	11.84
163002717035	25149 FULSHEAR GASTON RD THRU 4/22/13	04/25/13	05/06/13	2948	0	11.84
181002323535	25149 FULSHEAR GASTON RD THRU 5/21/13	05/24/13	06/03/13	3000	0	11.84
207000125268	25149 FULSHEAR GASTON RD THRU 6/15/13	06/19/13	07/03/13	3038	0	-
008004459212	25149 FULSHEAR GASTON RD THRU 6/15/13	06/26/13	07/03/13	3038	0	9.87
1280033149367	25149 FULSHEAR GASTON RD THRU 6/20/13	06/28/13	07/09/13	3072	0	1.97
0080044592139	25149 FULSHEAR GASTON RD THRU 6/20/13	06/26/13	07/09/13	3072	0	1.97
1110107843456	25149 FULSHEAR GASTON RD THRU 7/22/13	07/26/13	07/29/13	3114	1	9.93
1110111101826	25149 FULSHEAR GASTON RD THRU 9/19/13	09/25/13	09/30/13	3151	8	24.84
1110112510884	25149 FULSHEAR GASTON RD THRU 10/18/13	10/24/13	10/29/13	3232	7	12.38
0080046397164	25149 FULSHEAR GASTON RD THRU 11/18/13	11/22/13	12/02/13	3313	8	12.45
1120061647025	25149 FULSHEAR GASTON RD THRU 12/19/13	12/27/13	01/02/14	3451	8	12.45
0080046805794	25149 FULSHEAR GASTON RD THRU 1/22/14	01/28/14	01/30/14	3518	8	12.46
<u>SEGMENT 7A, RECTIFIER</u>						
1110109394730	5610 1/2 BALDWIN ELM THOURGH 8/8/13	08/26/13	08/29/13	3115	19	12.14
1110111101735	5610 1/2 BALDWIN ELM THOURGH 09/09/13	09/25/13	09/30/13	3151	13	12.82
1110112510793	5610 1/2 BALDWIN ELM THOURGH 10/08/13	10/24/13	10/29/13	3232	5	12.22
1110114222033	5610 1/2 BALDWIN ELM THOURGH 11/06/13	11/22/13	12/02/13	3313	6	12.30
1120061646936	5610 1/2 BALDWIN ELM THOURGH 12/09/13	12/27/13	01/02/14	3451	6	12.31
1110117444030	5610 1/2 BALDWIN ELM THOURGH 01/10/14	01/28/14	01/30/14	3518	6	12.33
<u>SEGMENT 7C, RECTIFIER A</u>						
1230035335787	5701 1/2 WATER VIOLET LANE THRU 11/6/13	11/11/13	12/02/13	3313	0	106.72
1190037234067	5701 1/2 WATER VIOLET LANE THRU 12/09/13	12/12/13	12/20/213	3393	0	11.84
1110117444048	5701 1/2 WATER VIOLET LANE THRU 1/10/14	01/28/14	01/30/14	3518	2	12.00
<u>SEGMENT 7C RECTIFIER B</u>						
1190037245881	6330 1/2 SKINNER LANE THRU 12/09/13	12/13/13	12/20/13	3393	2,100	274.54
OTHER						(5.00)
RELIANT ENERGY TOTALS:					<u>2,347,659</u>	<u>\$175,650.42</u>
CENTERPOINT ENERGY TOTALS:						<u>280.72</u>
TOTALS:						<u>\$175,931.14</u>
G/L # 1-6352-000000						\$165,444.59
G/L # 1-8010-100007						10,486.55
						<u>\$175,931.14</u>

**NORTH FORT BEND WATER AUTHORITY
 UTILITY SERVICES CONSUMED [HB 3693]
 JANUARY 1 - DECEMBER 31, 2013**

CENTERPOINT ENERGY

<u>Invoice Number</u>	<u>Description</u>	<u>Invoice Date</u>	<u>Check Date</u>	<u>Check #</u>	<u>Usage</u>	<u>Amount</u>
<u>D-158 PUMP STATION</u>						
2013-02/15	13402 BELLAIRE THROUGH 02/11/13	02/15/13	02/18/13	2845	0	15.98
2013-03/19	13402 BELLAIRE THROUGH 03/12/13	03/19/13	03/27/13	2961	0	15.98
2013-04/22	13402 BELLAIRE THROUGH 04/15/13	04/22/13	04/25/13	2946	0	16.76
2013-05/21	13402 BELLAIRE THROUGH 05/14/13	05/21/13	05/24/13	3035	0	15.98
2013-06/20	13402 BELLAIRE THROUGH 06/13/13	06/20/13	07/01/13	3075	0	17.24
2013-07/22	13402 BELLAIRE THROUGH 07/15/13	07/22/13	07/25/13	3117	0	17.24
2013-08/19	13402 BELLAIRE THROUGH 08/09/13	08/19/13	08/28/13	3126	0	17.24
2013-09/17	13402 BELLAIRE THROUGH 09/11/13	09/17/13	09/24/13	3176	0	17.24
2013-10/15	13402 BELLAIRE THROUGH 10/10/13	10/15/13	10/23/13	3249	0	17.24
2013-11/12	13402 BELLAIRE THROUGH 11/04/13	11/12/13	11/21/13	3330	0	17.24
2013-12/13	13402 BELLAIRE THROUGH 12/04/13	12/12/13	12/19/13	3406	0	17.24
2014-01/16	13402 BELLAIRE THROUGH 01/07/14	01/16/14	01/22/14	3476	0	17.24

BELLAIRE PUMP STATION

1/17/2014	13380 BELLAIRE 11/19/13 - 1/14/14	1/17/2014	1/23/2014	3157	0.00	78.10
-----------	-----------------------------------	-----------	-----------	------	------	-------

CENTERPOINT ENERGY TOTALS:

- \$280.72